



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

Tubi saldati tondi da nastro
laminati a caldo neri e decapati

Diametro mm	Spessore						
	1,5	2	3	4	5	6	8
10	0,32						
12	0,37						
14	0,49						
15	0,59						
16	0,54	0,69					
18	0,61	0,79					
20	0,68	0,89					
22	0,76	0,99					
25	0,87	1,13	1,63				
28	0,98	1,28	1,65				
30	1,05	1,38	2,00				
32	1,13	1,48	2,15				
33	1,18	1,55	2,25	2,91			
35	1,24	1,63	2,37				
38	1,35	1,78	2,59	3,38			
40	1,42	1,88	2,74	3,55			
42	1,50	1,97	2,89	3,75			
45	1,61	2,12	3,11	4,05			
48	1,72	2,27	3,33	4,38	5,22		
50	1,79	2,37	3,48	4,54			
55	1,98	2,61	3,85	5,03			
57	2,05	2,71	4,00	5,23			
60	2,16	2,86	4,22	5,52	6,61		
63	2,27	3,01	4,40	5,70			
65	2,35	3,11	4,59	6,02			
70	2,53	3,35	4,96	6,51	8,02		
76	2,76	3,65	5,40	7,10	8,76		
80	2,90	3,85	5,70	7,50	9,26		
89		5,33	8,38	10,36	12,29	14,17	
102		6,13	9,67	11,96	14,37	16,41	
108			10,26	12,70	15,09	17,44	
114,3			10,85	13,44	15,99	18,49	
121			11,45	14,31	17,02	19,69	
127			12,13	15,04	17,90	20,74	
133			12,73	15,78	18,79	21,77	
139,7			13,39	16,61	19,78	22,93	



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

2/2

Diametro mm	Spessore						
	1,5	2	3	4	5	6	8
152			14,60	18,13	21,60	25,00	
159			15,29	18,99	22,64	26,24	
168,3			16,18	20,10	23,97	27,79	31,64
193,7			18,55	23,06	27,52	31,94	36,66
219			21,21	26,39	31,06	36,59	41,67
244,5			23,75	29,57	35,33	41,05	46,69
273			26,54	33,05	39,55	45,97	52,31
323,9			31,56	39,32	46,30	54,70	62,36
339,7			33,15	41,32	49,44	57,50	
355,6			34,72	43,28	51,79	60,25	68,62
406,4			39,74	49,55	59,32	69,03	78,65
457,2				55,83	66,84	77,81	93,00
508				62,10	74,37	86,59	103,00

Tubi

Tubi tondi
serie speciale

Diametro mm	Spessore		
	1,5	2	3
100	3,67	4,90	7,35
120	4,41	5,88	8,82
150	5,51	7,35	11,02
180	6,61	8,82	13,23
200	7,35	9,80	14,70
220	8,08	10,78	16,16
250	9,08	12,90	18,15
300	11,00	15,20	21,78



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

tondi carpenteria neri,
zincati, zincati vite e manicotto

Diametro Pollici	Diametro mm	Spessore mm	Peso neri Kg/m	Peso Zincati Kg/m
3/8"	16,75	2,00	0,74	0,81
1/2"	21,25	2,30	0,95	1,18
3/4"	26,75	2,50	1,41	1,51
1"	33,48	2,50	2,01	2,12
1 1/4"	42,25	2,50	2,58	2,71
1 1/2"	48,25	3,00	3,37	3,32
2"	60,00	3,00	4,22	4,28
2 1/2"	76,00	3,00	5,40	6,04
3"	88,90	3,00	6,36	7,14
3 1/2"	101,60	3,00	7,32	9,10
4"	114,30	3,00	8,21	10,30
4 1/2"	127,00	4,00	12,20	
5"	139,70	4,00	13,50	
5 1/2"	152,00	4,50	16,36	
6"	168,00	4,50	18,20	
8"	219,00	4,50	23,70	



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

tondi laminati a caldo neri
provati fino a 50 ATM

Diametro Pollici	Diametro mm	Spessore mm	Peso Kg/m
1/8"	10,00	1,80	0,372
1/4"	13,25	2,00	0,577
3/8"	16,75	2,00	0,753
1/2"	21,25	2,35	1,110
3/4"	26,75	2,35	1,420
1"	33,48	2,90	2,230
1 1/4"	42,25	2,90	2,870
1 1/2"	48,25	2,90	3,300
2"	60,00	3,25	4,630
2 1/4"	76,00	3,25	5,930
3"	89,00	3,65	7,820
3 1/4"	102,00	3,65	8,950
4"	114,30	4,05	11,300
5"	139,07	4,85	16,700
6"	168,00	4,85	19,800



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

tondi grosso spessore
per applicazioni meccaniche

Diametro mm	Spessore										
	8	10	12,5	14,2	16	17,5	20	25	30	35	40
48,3	7,93	9,45									
51	8,43	10,1	11,9								
54	9,04	10,9	12,9								
57	9,65	11,6	13,8								
60,3	10,3	12,4	14,8								
63,5	10,9	13,2	15,8								
67	11,6	14,1	16,3	18,3	20,1						
70	12,2	14,8	17,8	19,3	21,2						
76,1	13,4	16,3	19,7	21,4	23,7						
82,5	14,6	17,9	21,7	23,8	26,2	28,8	30,8				
88,9	15,9	19,5	23,7	25,9	28,7	31,5	34,0				
95	17,2	21,0	24,6	28,0	31,2	34,2	37,0				
101,6	18,4	22,6	27,6	30,4	33,7	37,3	40,2	47,5			
108	19,6	24,2	29,6	32,5	36,2	40,4	43,4	51,4			
114,3	20,9	25,7	31,6	34,3	38,6	42,6	46,5	55,3			
121	21,3	27,4	32,3	36,9	41,4	45,7	49,8	60,1	67,3		
127	23,4	28,9	35,5	39,0	43,6	48,4	52,8	63,2	71,8		
133	24,6	30,3	37,4	41,4	46,1	51,0	55,7	67,1	76,2		
139,7	25,9	32,0	39,5	43,5	48,6	54,2	59,0	71,1	81,2		
146	27,2	33,5	39,7	45,6	51,3	56,8	62,2	74,8	85,2		
152,4	28,4	35,1	43,4	47,6	53,6	59,5	65,3	79,0	90,6		
159	28,4	36,7	45,4	50,1	56,2	62,6	68,6	83,0	95,4		
168,3		39,0	48,4	53,5	59,9	66,5	73,1	89,9	102		
177,8		41,4	51,3	56,6	63,6	71,0	77,8	94,8	109		
193,7		45,3	56,2	62,0	69,8	78,0	85,7	105	121		
203		47,5	58,5	65,3	73,8	82,1	90,3	110	128		
219,1			64,1	71,0	79,8	89,0	98,2	120	140	159	177
229			66,5	74,2	84,0	93,7	103	126	147	167	186
244,5			72,0	80,0	89,8	103,5	111	136	151	181	202
254			75,0	82,9	83,9	105	115	141	166	189	211
273			80,9	89,5	101	113	125	154	180	205	230
298,5			88,8	98,5	111	124	137	170	199	227	255



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)
Telefono: 0363 50611 - Fax: 0363 350440
e-mail: info@contietonoli.it - www.contietonoli.it

2/2

Diametro mm	Spessore										
	8	10	12,5	14,2	16	17,5	20	25	30	35	40
305			90,2	100	113	127	141	173	203	233	261
323,9			96,7	107	121	135	150	186	217	249	280
330				109	124	138	153	189	222	255	286
343				114	129	144	159	197	232	266	299
355,6				118	134	150	166	205	241	277	312
368				122	139	155	172	213	250	287	324
381				127	144	161	178	221	260	299	366
394				131	149	167	184	229	269	310	349
406,4				135	154	172	190	237	278	320	361
419				140	159	178	197	245	288	331	374



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

saldati quadri da nastro
laminati a caldo

a mm	Spessore							
	1,5	2	3	4	5	6	8	10
10x10	0,34							
12x12	0,43							
15x15	0,57	0,70						
20x20	0,81	1,02	1,36					
25x25	1,05	1,34	1,83					
30x30	1,28	1,65	2,30	2,84				
35x35	1,52	1,96	2,77	3,46				
40x40	1,75	2,28	3,24	4,09	4,83			
45x45	1,99	2,60	3,71	4,72	5,61			
50x50	2,22	2,91	4,19	5,35	6,40			
55x55			4,52					
60x60	2,69	3,54	5,13	6,51	7,97	10,15		
65x65	2,93	3,85	5,60	7,24	8,75	10,34		
70x70		4,16	6,07	7,86	9,54	11,10		
80x80		4,79	7,02	9,12	11,11	12,99	16,38	
90x90		5,42	7,96	10,38	12,68	14,87	18,89	
100x100		6,07	8,90	11,64	14,26	16,76	21,41	24,89
110x110			9,84	12,89	15,83	18,64	23,93	28,03
120x120			10,79	14,15	17,40	20,53	26,44	31,17
140x140			12,72	16,76	20,52	24,28	31,43	37,45
150x150			13,62	17,92	22,11	26,19	33,98	40,59
160x160			14,61	19,27	23,66	28,04	34,46	43,73
175x175			15,98	21,07	26,04	30,90	40,27	48,44
200x200			17,19	24,29	29,94	35,58	46,51	56,29
220x220				26,73	33,12	39,39	51,59	62,57
250x250				30,57	37,79	45,00	59,07	71,99
260x260				31,76	39,41	46,94	61,61	75,13
300x300					45,64	54,42	71,63	87,69



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Tubi

saldati rettangolari
da nastro laminati a caldo

a x b mm	Spessore				
	1,5	2	2,5	3	4
15x10	0,52				
20x10	0,64	0,81			
20x15	0,75	0,97			
25x10	0,75	0,97			
25x15	0,87	1,13			
30x10	0,87	1,13			
30x15	0,99	1,29	1,44	1,65	
30x20	1,11	1,44	1,77	2,07	
30x25	1,22	1,60	1,96	2,31	
35x10	0,99	1,29			
35x15	1,11	1,44	1,77	2,07	
35x20	1,22	1,60	1,96	2,31	
35x25	1,34	1,76	2,16	2,54	
40x10	1,11	1,44			
40x15	1,22	1,60	1,84	2,13	
40x20	1,34	1,76	2,16	2,54	
40x25	1,46	1,91	2,34	2,78	
40x30	1,58	2,07	2,55	3,01	3,83
45x10	1,22	1,52			
45x15	1,34	1,76			
45x20	1,46	1,91	2,23	2,78	
45x25	1,58	2,07	2,42	3,01	
50x10	1,34	1,76			
50x15	1,46	1,92			



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

2/3

a x b mm	Spessore							
	1,5	2	3	4	5	6	8	10
50x20	1,58	2,07	3,01					
50x25	1,77	2,23	3,25					
50x30	1,81	2,39	3,49	4,52				
50x40	2,05	2,70	3,96	5,15				
60x10	1,58	2,07						
60x15	1,77	2,23						
60x20	1,81	2,39	3,30					
60x25	1,87	2,43	3,58					
60x30	1,99	2,59	3,71	4,72				
60x40	2,22	2,91	4,19	5,35	6,39			
60x50	2,46	3,22	4,66	5,98	8,02			
70x20	1,99	2,59	3,71					
70x25	2,10	2,75	3,95					
70x30	2,22	2,91	4,19	5,35				
70x40	2,46	3,22	4,66	5,98	7,59			
70x50	2,69	3,53	5,13	6,61	7,97	9,21		
80x15	2,10	2,75						
80x20	2,22	2,91	4,19					
80x25	2,34	3,06	4,42					
80x30	2,46	3,33	4,56	5,98				
80x40	2,69	3,53	5,40	6,60	7,96	9,21		
80x50	2,93	3,85	5,60	7,24				
80x60		4,16	6,07	7,86	9,54	11,10		
90x30		3,56	5,19	6,71				
90x40		3,85	5,60	7,24				
90x50		4,16	6,07	7,86				
90x60		4,48	6,54	8,49				
100x20		3,57	6,13					
100x30		3,85	5,60	7,24				
100x40		4,16	6,07	7,86	9,54	11,10	13,86	
100x50		4,48	6,54	8,49	10,32	12,04	15,12	
100x60		4,79	7,02	9,11	11,10	12,98	16,38	
100x80		5,42	7,96	10,38	12,58	14,87		
110x50		4,79	7,02	9,12	11,11	12,98		
120x30		4,50	6,60	8,59				
120x40		4,52	7,02	9,12	11,11	12,98	16,38	
120x50		4,80	7,23	9,64				
120x60		5,41	7,96	10,37	12,67	14,37	18,89	
120x80		6,05	8,90	11,63	14,24	16,76	21,41	
130x50		5,42	7,96	10,38	12,68	14,87		
140x40			7,66	10,22	12,70			
140x60		6,05	8,90	11,64	14,25	16,76	21,41	



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

3/3

a x b mm	Spessore							
	1,5	2	3	4	5	6	8	10
140x70		6,36	9,37	12,27	15,04	17,70		
140x80		6,68	9,84	12,89	15,83	18,64		
150x30		5,52	8,19					
150x40		5,90	8,80	10,81	13,43			
150x50		6,05	8,90	11,64	14,25	16,76	21,41	
150x60				12,97				
150x100			11,26	14,77	18,17	21,47	27,67	32,80
160x60			10,06	13,32	16,53	19,69		
160x80			10,79	14,14	17,38	20,53	26,41	
180x60			10,79	14,15	17,40	20,53	26,44	
180x80			11,73	15,41	18,97	22,42	28,95	
200x100			13,62	17,91	22,09	26,19	33,95	41,59
200x150			16,02	21,15	26,02	30,87	40,23	48,44
250x100			15,98	21,07	26,04	30,90	40,27	48,44